



	than dogs. Garlic is less toxic than onions.
Persimmons	Seeds can cause intestinal obstruction and <a href="#">enteritis</a> .
Pits from peaches and plums	Can cause obstruction of the digestive tract.
Potato, rhubarb, and tomato leaves; potato and tomato stems	Contain oxalates, which can affect the digestive, nervous, and urinary systems. This is more of a problem in livestock.
Raw eggs	Contain an enzyme called avidin, which decreases the absorption of <a href="#">biotin (a B vitamin)</a> . This can lead to skin and hair coat problems. Raw eggs may also contain <i>Salmonella</i> .
Raw fish	Can result in a <a href="#">thiamine (a B vitamin)</a> deficiency leading to loss of appetite, seizures, and in severe cases, death. More common if raw fish is fed regularly.
Salt	If eaten in large quantities it may lead to <i>electrolyte</i> imbalances.
String	Can become trapped in the digestive system; called a "string foreign body."
Sugary foods	Can lead to <a href="#">obesity</a> , dental problems, and possibly <a href="#">diabetes mellitus</a> .
Table scraps (in large amounts)	Table scraps are not nutritionally balanced. They should never be more than 10% of the diet. Fat should be trimmed from meat; bones should not be fed.
Tobacco	Contains nicotine, which affects the digestive and nervous systems. Can result in rapid heart beat, collapse, coma, and death.
Yeast dough	Can expand and produce gas in the digestive system, causing pain and possible rupture of the stomach or intestines.

Copyright © 1997-2009, Foster & Smith, Inc. All Rights Reserved.  
Reprinted from PetEducation.com.